



## SAFETY DATA SHEET

XTS 320

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME XTS 320

**Supplier**

**Intek Adhesives Ltd**  
**Unit 20 Atley Business Park**  
**Cramlington, Northumberland NE23 1WP**

**Tel 01670 734400**  
**email: enquiry@intek-uk.com**

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

| Name                                | EC No. | CAS-No.    | Content | Classification      |
|-------------------------------------|--------|------------|---------|---------------------|
| METHYLTRIS (2-BUTANONEOXIME) SILANE |        | 22984-54-9 | 1-5%    | Xi;R37/38,R41. R43. |
| VINYLTRIS (2-BUTANONEOXIME) SILANE  |        | 2224-33-1  | 0.5-1%  | Xi;R37/38,R41. R43. |

The Full Text for all R-Phrases are Displayed in Section 16

## 3 HAZARDS IDENTIFICATION

May cause sensitisation by skin contact.

CLASSIFICATION R43.

## 4 FIRST-AID MEASURES

## INHALATION

Remove victim immediately from source of exposure. Get medical attention if any discomfort continues.

## INGESTION

DO NOT induce vomiting. Get medical attention immediately.

## SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

## EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists continue rinsing and transport to hospital taking these instructions.

## 5 FIRE-FIGHTING MEASURES

## EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

## SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours. Use pressurised air mask if product is involved in a fire.

## SPECIFIC HAZARDS

Fire creates: Toxic gases/vapours/fumes of Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrous gases (NO<sub>x</sub>).

## 6 ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

## XTS320

## 7 HANDLING AND STORAGE

## USAGE PRECAUTIONS

Do not use in confined spaces without adequate ventilation and/or respirator.

## STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name                  | Std | LT - ppm | LT - mg/m3 | ST - ppm | ST - mg/m3 |
|-----------------------|-----|----------|------------|----------|------------|
| ETHYL METHYL KETOXIME | MAK |          |            |          | 3 mg/m3    |

## INGREDIENT COMMENTS

(\*) Ingredient is given off as fumes.

## PROTECTIVE EQUIPMENT



## ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

## RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

## HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

## EYE PROTECTION

Wear approved safety goggles.

## HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

|                                |  |                  |      |
|--------------------------------|--|------------------|------|
| APPEARANCE                     | Viscous liquid   |                  |      |
| ODOUR                          | Ketonic.   |                  |      |
| SOLUBILITY                     | Not soluble in water. Miscible with Aromatic solvents Hydrocarbons. Chloroform |                  |      |
| BULK DENSITY                   | 1.19   | FLASH POINT (°C) | >150 |
| AUTO IGNITION TEMPERATURE (°C) | >400   |                  |      |

## 10 STABILITY AND REACTIVITY

## STABILITY

No particular stability concerns.

## CONDITIONS TO AVOID

Avoid contact with oxidisers or reducing agents.

## HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrous gases (NO<sub>x</sub>). Oxides of: Tin. Silicon.

## 11 TOXICOLOGICAL INFORMATION

## INHALATION

Vapour may irritate respiratory system or lungs.

## INGESTION

Harmful: danger of serious damage to health by prolonged exposure if swallowed.

## SKIN CONTACT

Irritating to skin. May cause sensitisation by skin contact.

## EYE CONTACT

Irritating to eyes.

## XTS320

## 12 ECOLOGICAL INFORMATION

## ECOTOXICITY

The product is not expected to be hazardous to the environment.

## 13 DISPOSAL CONSIDERATIONS

## GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

## 14 TRANSPORT INFORMATION

|           |   |     |
|-----------|---|-----|
| ADR CLASS | Not classified for transportation. MARINE POLLUTANT | No. |
|-----------|---|-----|

## 15 REGULATORY INFORMATION

## LABELLI



Irritant

|          |                                     |
|----------|-------------------------------------|
| CONTAINS | METHYLTRIS (2-BUTANONEOXIME) SILANE |
|----------|-------------------------------------|

## RISK PHRASES

|     |  |
|-----|--|
| R43 | May cause sensitisation by skin contact. |
|-----|--|

## SAFETY PHRASES

|     |  |
|-----|--|
| S24 | Avoid contact with skin.   |
| S37 | Wear suitable gloves.  |
| S46 | If swallowed, seek medical advice immediately and show this container or label.            |
| S56 | Dispose of this material and its container to hazardous or special waste collection point. |

## 16 OTHER INFORMATION

|               |          |
|---------------|----------|
| REVISION DATE | 03.07.06 |
|---------------|----------|

|                              |   |
|------------------------------|---|
| REV. NO./REPL. SDS GENERATED | 0 |
|------------------------------|---|

|         |       |
|---------|-------|
| SDS NO. | 10287 |
|---------|-------|

## RISK PHRASES IN FULL

R37/38 Irritating to respiratory system and skin. , R41 Risk of serious damage to eyes. , R43 May cause sensitisation by skin contact.

## DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.